

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	MFA OIL INDUSTRIAL GEAR OIL EP
Product Code:	ISO 68 FA62685G, FA626855, HYD00001 ISO 100 HYD00051, FA621055
	ISO 150 FA621555, HYD00052 ISO 220 FA622255, HYD00053
	ISO 320 FA623255, HYD00054 ISO 460 FA624655, HYD00055

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:	Gear Oil
Recommended	Not applicable
nestrictions	

1.3. Details of the supplier of the safety data sheet

Manufacturer:	MFA Oil Company
	One Ray Young Drive
	Columbia, MO 65201
Information Phone:	(800) 827-0116
E-mail:	sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number:	CHEMTREC: +1 (800) 424-9300
	International: +01 (703) 527-3887

SECTION 3: Composition/information on ingredients

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

restrictions:

2.3. Other hazards

Hazards not otherwise Avoid prolonged or repeated skin contact with used fluid.

classified:

Unknown acute toxicity (GHS-US)

	on on marce	licitus	
Chemical Name	%	CAS #	GHS Classification
Residual oils (petroleum), solvent dewaxed	60 - 90	64742-62-7	Acute Tox. 4; H332
			Acute Tox. 3; H331
Petroleum distillates, hydrotreated heavy paraffinic	10 - 30	64742-54-7	Acute Tox. 4; H332
			Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures		
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.	
Eyes	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.	
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.	
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.	

4.2. Most important symptoms and effects, both acute and delayed

SAFFTV DATA SHFFT SECTION 4: First aid measures

Symptoms Not determined 4.3. Indication of any immediate medical attention and special treatment needed Note to Doctor Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising fro	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM 06GHS CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials See Section 10. 7.3. Specific end use(s) Gear Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	-
None.	OSHA PEL-Skin Notation	

8.2. Exposure controls	
Engineering Measures	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection	No special requirements under normal industrial use.
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves	Neoprene, Nitrile

SECTION 9: Physical and chemical properties

Shorton 711 hysicar ar	ia chemical pi oper des	
9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Brown	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	Not determined	
Boiling Point	Not determined	
Flash Point	215	
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	= 10	
Limit, % in air		
Lower Flammable/Explosive	= 1	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	<0.20	
Vapor Density	Not determined	
Relative Density	0.89	
Solubility in Water	Negligible; 0-1%	
Octanol/Water Partition	Not determined	
Coefficient		
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Viscosity(°C)	221.5	
9.2. Other information		
Volatiles, % by weight	0.000000	

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon monoxide, Smoke
decomposition	
products	

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ingestion Toxicity	No hazard in normal industrial use. Estimated to be 5.0 g/kg.
Skin Contact	Likely to be non-irritating to skin based on animal data.Can cause minor skin irritation, defatting, and dermatitis.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and Developmental Toxicity	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
Specific target organ toxicity-Repeated exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

Agents Classified by IARC Monographs

Ethylene oxide	IARC Group 1
Not applicable	IARC Group 2A
Cumene	IARC Group 2B
ethylbenzene	IARC Group 2B
Vinyl acetate	IARC Group 2B
Ethyl acrylate	IARC Group 2B
1,4-Dioxane	IARC Group 2B
Propylene oxide	IARC Group 2B

National Toxicity Program (NTP) Status

Ethylene oxide	Known Human Carcinogen
Cumene	Reasonably Anticipated To Be A Human Carcinogen
1,4-Dioxane	Reasonably Anticipated To Be A Human Carcinogen
Propylene oxide	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

 12.1. Toxicity
 Non-hazardous under Aquatic Acute Environment category.

 Acute Aquatic ecotoxicity:
 Non-hazardous under Aquatic Acute Environment category.

 Chronic Aquatic ecotoxicity:
 Non-hazardous under Aquatic Chronic Environment category.

 12.2. Persistence and degradability
 Biodegrades slowly.

 12.3. Bioaccumulative potential
 Bioconcentration may occur.

 12.4. Mobility in soil
 This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

 12.5. Results of PBT and vPvB assessment
 No data available.

 12.6. Other adverse effects
 Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Disposal Methods
Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.
Waste Disposal Code(s)
Waste Description for Spent Product
Spent or discarded material is non-hazardous according to environmental regulations.
Contaminated packaging:
Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description**

SECTION 15: Regulatory information

Chemical Inventories

Ethylene oxide

Ethylene oxide

U.S. State Restrictions:	Not applicable
WHMIS:	Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS #	%
None.	CERCLA		
1,2,4-Trimethylbenzene	SARA 313	95-63-6	0.001-0.01
Xylene (mixed isomers)	SARA 313	1330-20-7	0.001-0.01
Cumene	SARA 313	98-82-8	0.001-0.01
ethylbenzene	SARA 313	100-41-4	0.001-0.01
Vinyl acetate	SARA 313	108-05-4	0.001-0.01
Ethyl acrylate	SARA 313	140-88-5	0.001-0.01
1,4-Dioxane	SARA 313	123-91-1	0.001-0.01
Ethylene oxide	SARA 313	75-21-8	0.001-0.01
Propylene oxide	SARA 313	75-56-9	0.001-0.01
None.	SARA EHS		
None.	TSCA 12b		
U.S. State Regulations			
Chemical Name	Regulation	CAS #	%
Cumene	California Prop 65-	98-82-8	0.001-0.01
	Cancer		
ethylbenzene	California Prop 65-	100-41-4	0.001-0.01
	Cancer		
Ethyl acrylate	California Prop 65-	140-88-5	0.001-0.01
	Cancer		
1,4-Dioxane	California Prop 65-	123-91-1	0.001-0.01
	Cancer		
Ethylene oxide	California Prop 65-	75-21-8	0.001-0.01
•	Cancer		
Propylene oxide	California Prop 65-	75-56-9	0.001-0.01
	Cancer		
Ethylene oxide	California Prop 65- Dev.	75-21-8	0.001-0.01
•			

ToxicityCalifornia Prop 65-75-21-8Reprod -fem75-21-8California Prop 65-75-21-8

0.001-0.01

0.001-0.01

Chemical Na	me		ulation rod-male	CAS #		%	
None.		Mas	sachusetts RTK List				
None.			v Jersey RTK List				
None.			nsylvania RTK List				
None.			de Island RTK List				
None.			nesota Hazardous stance List				
		HMIS Ratings:		NFPA Rating	<u>zs:</u>		
		Health:	1	Health:	1		
		Fire:	1	Fire:	1		
		Reactivity:	0	Reactivity:	0		
		PPE:	В				
	KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme	
SECTION	N 16: Otl	her informatio					
Revision Date	e	4/2/2015 12:2					
Supersedes:		12/30/2014 3					
References	References ACGIH: American Conference of Governmental Industrial Hygienists						
			ican Industrial Hygie				
		CFR: Code of Federal Regulations					
			DOT: United States Department of Transportation				
		GHS: Globally Harmonized System of Classification and Labeling of Chemicals					
			HMIS: Hazardous Materials Identification System				
		IARC: International Agency for Research on Cancer					
		IATA: International Air Transportation Association					
		IDLH: Immediately Dangerous to Life or Health					
		IMDG: International Maritime Dangerous NFPA: National Fire Protection Associati					
				Association ccupational Safety and Health			
			al Toxicology Progra		and meanin		
			pational Safety and H		tion		
			sible Exposure Limit		tton		
		RTK: Right-t					
		0	rfund Amendments a	nd Reauthorizatio	on Act		
		-	-term Exposure Limit				
			old limit value	•			
			Substances Control	Act			
			weighted average				
		UN: United N					
			orkplace Hazardous N	laterials Informat	ion System		
Disclaimer						in good faith as accurate. We	
		have reviewed any information contained in the data sheet which we have received from outside sources					
		and we believe the information to be correct, but cannot guarantee its accuracy or completeness.					
						r all individuals and/or situations	
						ner and to comply with all	
		applicable laws and regulations. No statement made in this data sheet shall be construed as permission					
					nanner that might in	nfringe existing patents. No	
			ada aithan armanagaa	a			

warranty is made, either expressed or implied.