

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

1. Identification	
Product identifier used on the label: Stock Number:	EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A 421010
Other means of identification:	
Synonyms:	No data available
Recommended use of the chemical and re Recommended use:	estrictions on use: Motor Oil
Restrictions on use:	Uses other than those described above
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:	MFA Oil Company
	One Ray Young Drive
importer, or other responsible party.	Columbia, MO 65201
Phone number:	(800) 827-0116
E-mail address:	sds@wd-wpp.com
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification:Not classified as hazardous under OSHAHazards not otherwise classified:No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Highly refined synthetic base stocks	No data available	64742-54-7	80 - 100
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	5 - 10
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	No data available	EPA-ACC-17799	0.5 - 1.5
Distillates, petroleum, solvent-	No data available	64742-65-0	0.1 - 1

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

dewaxed heavy paraffinic		

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	No data available
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous combustion products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

Special protective equipment and	Do not enter fire area without proper protection including self- contained
precautions for fire-fighters:	breathing apparatus and full protective equipment. Use methods for the
	surrounding fire.

6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7. Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Highly refined synthetic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
base stocks				
Petroleum distillates,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy				
paraffinic				
Distillates, petroleum,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
solvent-dewaxed heavy				

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

paraffinic	
Appropriate engineering controls:	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.
Individual protection measures, such a	s personal protective equipment:
Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye protection:	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.
Skin protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Neoprene, Nitrile
General hygiene conditions:	Follow all protective equipment recommendations provided in Section 8.

9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Brown
Odor:	MildPetroleum
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	No data available
Flash Point (°C):	224
Evaporation Rate:	No data available

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.85
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	48.92

10. Stability and reactivity **Reactivity:** There are no known reactivity hazards associated with this product. **Chemical stability:** Stable under normal conditions. Possibility of hazardous reactions: None expected under standard conditions of storage. Conditions to avoid (e.g., static Temperatures above the high flash point of this combustible material in discharge, shock, or vibration): combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation). Incompatible materials: Strong oxidizing agents Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Skin contact, Inhalation, Ingestion, Eye contact
Symptoms related to the physical, chemical and toxicological	No data available

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:					
Ingestion:	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.				
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data.Can cause minor skin irritation, defatting, and dermatitis.				
Absorption:	Estimated to be > 5.0 g/kg; practically non-toxic				
Inhalation:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.				
Eye Contact:	The material is likely to be moderately irritating to eyes based on animal data. Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.				
Sensitization:	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.				
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.				
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.				
Reproductive toxicity	Not known or reported to cause reproductive or developmental toxicity.				
STOT-single exposure:	Based on available data, the classification criteria are not met.				
STOT-repeated exposure:	Based on available data, the classification criteria are not met.				
Aspiration hazard:	Based on available data, the classification criteria are not met.				
Other information:	None known.				

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates, petroleum, solvent-dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2400 MG/M3
Petroleum distillates, hydrotreated heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	
Highly refined synthetic base stocks	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability:	Biodegrades slowly.
Bioaccumulative potential:	Bioconcentration may occur.
Mobility in soil:	This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects (such as hazardous to the ozone layer):	None known.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Spent or discarded material is non-hazardous according to environmental regulations.

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A
Stock Number: 421010
Revision Date: 12-02-2020
Replaces: 09-28-2020

Contaminated packaging:

Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:				
DOT Basic Description:	Not regulated for road transport			
International carriage of dangerous good	s by sea (IMDG/IMO):			
UN number:	Not regulated by IMDG			
UN Proper shipping name:	Not applicable			
Transport hazard class(es):	Not applicable			
Packing group, if applicable:	Not applicable			
International carriage of dangerous good	s by air (IATA):			
UN number:	Not regulated by IATA			
UN Proper shipping name:	Not applicable			
Transport hazard class(es):	Not applicable			
Packing group, if applicable:	Not applicable			
Environmental hazards (e.g., Marine	None.			
pollutant (Yes/No)):				
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available			
Special precautions which a user needs to be aware of or needs to comply with	No data available			
in connection with transport or				
conveyance either within or outside				
their premises:				

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the Active US TSCA Inventory or are exempt.

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Highly refined synthetic base stocks	64742-54-7	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	EPA-ACC- 17799	Ν	Ν	Ν	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν

Chemical Name	CAS #	California Prop 65 - Cancer	California PropCalifornia Prop65 - Dev. Toxicity65 - Reprod fem		California Prop 65 - Reprod male
Highly refined synthetic base stocks	64742-54-7	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N N		Ν
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	EPA-ACC- 17799	Ν	N	Ν	N
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	N

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Highly refined synthetic base stocks	64742-54-7	Ν	N	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	Ν	Ν	Ν
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	EPA-ACC- 17799	Ν	N	N	N	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	N	Ν	N	Ν

16. Other information, including date of preparation or last revision.	
SDS Prepared by:	DB_HAZOX
Revision Date:	12-02-2020
Revision Number:	17
Reason for revision: References: Other Info:	Activated by Document Formulation Generation No data available No data available
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

Product identifier used on the label: EXCEDE FULL SYNTHETIC 5W-20 SP/GF-6A Stock Number: 421010 Revision Date: 12-02-2020 Replaces: 09-28-2020

No warranty is made, either expressed or implied.