

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL Revision Date: 12-02-2020 Replaces: 09-28-2020

1. Identification	
Product identifier used on the label:	EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/ GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL
Stock Number:	421001; 421002; 421003; 421004; 421005; 421006; 421007; 421008; 421009; 421010
Other means of identification: Synonyms:	No data available No data available
Recommended use of the chemical and re Recommended use:	e strictions on use: Motor Oil
Restrictions on use:	Uses other than those described above
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:	MFA Oil Company
	One Ray Young Drive
	Columbia, MO 65201
Phone number:	(800) 827-0116
E-mail address: Emergency phone number:	sds@wd-wpp.com CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification:	Not classified as hazardous under OSHA
Hazards not otherwise classified:	No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	No data available	72623-87-1	80 - 100
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	5 - 10
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	No data available	EPA-ACC-17799	0.5 - 1.5
Distillates, petroleum, solvent-	No data available	64742-65-0	0.1 - 1

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL Revision Date: 12-02-2020

Replaces: 09-28-2020

dewaxed heavy paraffinic		

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	No data available
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.

5.	Fire-fig	hting	measures
			incusuics

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous combustion products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL

Revision Date: 12-02-2020 **Replaces:** 09-28-2020

Special protective equipment and precautions for fire-fighters:	oxides of phosphorus, Hydrogen sulfide Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
7. Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.
Conditions for safe storage, including any incompatibilities:	
Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL Revision Date: 12-02-2020

Replaces: 09-28-2020

hydrotreated heavy paraffinic				
Distillates, petroleum, solvent-dewaxed heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minim exposures and maintain operator comfort.				controls to minimize
Individual protection measu	ures, such as personal	protective equipment	t:	
Respiratory Protection:	handli prefer	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.		tilation is the general room
Respirator Type(s):	conce	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye protection:		Wear safety glasses when handling this product if there is a likelihood of contact with eyes.		
Skin protection:	wear i	Where use can result in skin contact, practice good personal hygiene an wear impervious gloves. Wash hands and other exposed areas with milc soap and water before eating, drinking, and when leaving work.		bosed areas with mild
Gloves:	Nitrile	Nitrile, Neoprene		
General hygiene conditions	: Follow	Follow all protective equipment recommendations provided in Section		provided in Section 8.

9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Amber
Odor:	Mild
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range	No data available

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL

Revision Date: 12-02-2020 **Replaces:** 09-28-2020

(°C):	
Flash Point (°C):	226
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.85
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	44.59

10. Stability and reactivity Reactivity: There are no known reactivity hazards associated with this product. Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of	Skin contact, Inhalation, Ingestion, Eye contact
exposure (inhalation, ingestion, skin	

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL

Revision Date: 12-02-2020 **Replaces:** 09-28-2020

and eye contact):	
Symptoms related to the physical, chemical and toxicological characteristics:	No data available
Delayed and immediate effects and also	chronic effects from short- and long-term exposure:
Ingestion:	Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data.Can cause minor skin irritation, defatting, and dermatitis.
Absorption:	May be harmful in contact with skin.
Inhalation:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive toxicity	Not known or reported to cause reproductive or developmental toxicity.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Other information:	None known.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates, petroleum, solvent-dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2400 MG/M3
Petroleum distillates, hydrotreated heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL

Revision Date: 12-02-2020 **Replaces:** 09-28-2020

Lubricating oils			
(petroleum), C20-50,	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat >
hydrotreated neutral oil-	mg/kg	mg/kg	5.2 mg/L
based			

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability:

Biodegrades slowly.

Bioconcentration may occur.

Bioaccumulative potential:

Mobility in soil:

Other adverse effects (such as hazardous to the ozone layer):

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

None known.

13. Disposal considerations

Description of waste residues and Spent or discarded material is non-hazardous according to environmental

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL

Revision Date: 12-02-2020	
Replaces: 09-28-2020	

information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:	regulations.
Contaminated packaging:	Recycle containers whenever possible.
14. Transport information	
Carriage of dangerous goods by road (DO	T), rail or inland waterways:
DOT Basic Description:	Not regulated for road transport
Internetic and constants of the second	
International carriage of dangerous good	
UN number:	Not regulated by IMDG
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
International carriage of dangerous good	s by air (IATA):
UN number:	Not regulated by IATA
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL Revision Date: 12-02-2020

Replaces: 09-28-2020

TSCA Status:

All components of this material are on the Active US TSCA Inventory or are exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	N
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	EPA-ACC- 17799	Ν	Ν	Ν	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	Ν	Ν
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	EPA-ACC- 17799	Ν	Ν	Ν	Ν

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL Revision Date: 12-02-2020

Replaces: 09-28-2020

Distillates, petroleum, solvent- dewaxed heavy paraffinic	742-65-0 N	N	N	Ν
--	------------	---	---	---

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Ν	N	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	Ν	Ν	Ν
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	EPA-ACC- 17799	Ν	N	N	N	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	N	Ν	N	Ν

16. Other information, including date of preparation or last revision.				
SDS Prepared by:	DB_HAZOX			
Revision Date:	12-02-2020			
Revision Number:	61			
Reason for revision:	Activated by Document Formulation Generation			
References:	No data available			
Other Info:	No data available			
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in			

Product identifier used on the label: EXCEDE FULL SYNTHETIC 0W-20 DEXOS SP/GF-6A; 5W-20 SP/GF-6A; 5W-30 DEXOS SP/GF-6A MOTOR OIL Revision Date: 12-02-2020

Revision Date: 12-02-2020 **Replaces:** 09-28-2020

> the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.