

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

1. Identification	
Product identifier used on the label: Stock Number:	WORK HORSE INDUSTRIAL R&O ISO 22 420036, 420037
Other means of identification: Synonyms:	No data available
Recommended use of the chemical and re Recommended use:	estrictions on use: Hydraulic Oil
Restrictions on use:	Uses other than those described above
Name, address, and telephone number of the chemical manufacturer,	MFA Oil Company
importer, or other responsible party:	One Ray Young Drive
	Columbia, MO 65201
Phone number:	(800) 827-0116
E-mail address:	sds@wd-wpp.com
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Distillates residue, low-boiling	No data available	68477-31-6	0.1 - 1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

Eye Contact:	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	No data available
Hazardous combustion products:	Carbon monoxide, Smoke
Special protective equipment and precautions for fire-fighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

	minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
7. Handling and storage	
Precautions for safe handling:	No special handling instructions due to toxicity. Follow all protective equipment recommendations provided in Section 8.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3	5 mg/m3	10 mg/m3	No data available
		Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.		
Individual protection measures, such as personal protective equipment:				
Respiratory Protection:	Respiratory protection may be required to avoid overexposure whe handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.		tilation is the general room	
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.			
Eye protection:	No spe	ecial requirements und	er normal industrial us	se.
Skin protection:	contac	ormally considered a sk ct, practice good person with mild soap and wat	nal hygiene. Wash han	ds and other exposed

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

Gloves:	Neoprene, Nitrile
General hygiene conditions:	Follow all protective equipment recommendations provided in Section 8
9. Physical and chemical properties	
Appearance (physical state, color etc	c.):
Physical state:	Liquid
Color:	Brown
Odor:	Mild
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Flash Point (°C):	218
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available

Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	= 10
Lower flammability or explosive limits:	= 1
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.86
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	31.55

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

10. Stability and reactivity	

Reactivity:	There are no known reactivity hazards associated with this product.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Smoke

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

	•
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Skin contact, Inhalation, Ingestion, Eye contact
Symptoms related to the physical, chemical and toxicological characteristics:	No data available
Delayed and immediate effects and also ch	ronic effects from short- and long-term exposure:
Ingestion:	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact:	Likely to be non-irritating to skin based on animal data.
Absorption:	Likely to be practically non-toxic based on animal data.
Inhalation:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	Non-hazardous under Respiratory Sensitization category.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.

WORK HORSE INDUSTRIAL R&O ISO 22
Stock Number: 420036, 420037
Revision Date: 07-08-2019
Replaces:

Aspiration hazard:	Based on available data, the classification criteria are not met.

Other information:

None known.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates residue, low- boiling	Oral LD50 Rat 2551 mg/kg		

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability:	Biodegrades slowly.
Bioaccumulative potential:	Bioconcentration may occur.
Mobility in soil:	This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects (such as hazardous to the ozone layer):	None known.
13. Disposal considerations	

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental regulations.

WORK HORSE INDUSTRIAL R&O ISO 22
Stock Number: 420036, 420037
Revision Date: 07-08-2019
Replaces:

Contaminated packaging:

14. Transport information	
Carriage of dangerous goods by road (DC	DT). rail or inland waterways:
DOT Basic Description:	No data available
International carriage of dangerous good	ds by sea (IMDG/IMO):
UN number:	Not regulated by IMDG
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
International carriage of dangerous good	ds by air (IATA):
UN number:	Not regulated by IATA
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

Recycle containers whenever possible.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the US TSCA Inventory or are exempt.

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Distillates residue, low-boiling	68477-31-6	Ν	Ν	Ν	Ν

Chemical Name	CAS #			California Prop California Pr 65 - Reprod fem 65 - Reprod n	
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Z	Ν
Distillates residue, low-boiling	68477-31-6	Ν	Ν	Ν	Ν

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν	Ν
Distillates residue, low-boiling	68477-31-6	Ν	N	Ν	Ν	N

16. Other information, including date of preparation or last revision.		
SDS Prepared by:	TPRUETT	
Revision Date:	07-08-2019	
Revision Number:	11	
Reason for revision:	NEW VERSION	
References:	No data available	
Other Info:	No data available	
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in	

WORK HORSE INDUSTRIAL R&O ISO 22 Stock Number: 420036, 420037 Revision Date: 07-08-2019 Replaces:

> the data sheet which we have received from outside sources and we believe the information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.